

八、非标定制产品 Special Products

8.1、预制管 Prefabricated Pipe

8.2、CIP清洗系统 CIP Cleaning System

8.3、地漏 Drain


8.4、转换板 Plank

8.5、在线检测装置 On-Line Inspection Device


8.6、其它 Other Products




预制管 Prefabricated Pipe




型号type: Y-01




型号type: Y-02




型号type: Y-03



型号type: Y-04



型号type: Y-05



型号type: Y-07

L根据用户需要订做
 Sizes can be made on user's order

CIP清洗系统

CIP Cleaning System




根据用户需要定制
Can be made on user's order

圆形地漏

型号type: DLR-01

Round Floor Drain




规格size	D	T	A	B	H	h	kg
DN65	70	2.0	233	319	280	100	
80	85	2.0	233	319	280	100	
100	104	2.0	233	319	280	100	
150	154	2.0	370	456	330	130	
2.5 ^s	63.5	2.0	233	319	280	100	
3 ^s	76.2	2.0	233	319	280	100	
3.5 ^s	88.9	2.0	233	319	280	100	
4 ^s	101.6	2.0	233	319	280	100	

方形地漏

型号type: DLS-02

Square Floor Drain




规格size	D	T	A	B	C	kg
DN50	52	1.5	250	230		
65	70	2.0	250	230		
80	85	2.0	250	230		
100	104	2.0	250	230		
2 ^s	50.8	1.5	250	230		
2.5 ^s	63.5	2.0	250	230		
3 ^s	76.1	2.0	250	230		
3.5 ^s	88.9	2.0	250	230		
4 ^s	101.6	2.0	250	230		

卫生型地漏

型号type: DLS-03


Sanitary Floor Drain



规格size	F	D	H	H1	H1	kg
高款	305	104	455	245	75	
低款	305	104	375	165	75	

转换板

Plank




型号type: ZF01

型号type: ZF02

型号type: ZF03


型号type: ZF04



型号type: ZF05


型号type: ZF06

型号type: ZF07



转换板框架

Frame



在线检测座

型号type: VIL

Varivent inline housing

规格size	A	T	D	E	F	G
DN25	28	×	1.5	90		
32	34	×	1.5	90		
40	40	×	1.5	90		
50	52	×	1.5	90		
65	70	×	2.0	125		
80	85	×	2.0	125		
100	104	×	2.0	125		
125	129	×	2.0	125		
1 ^s	25.4	×	1.5	90		
1.5 ^s	38.1	×	1.5	90		
2 ^s	50.8	×	1.5	90		
2.5 ^s	63.5	×	2.0	125		
3 ^s	76.1	×	2.0	125		
4 ^s	101.6	×	2.0	125		

在线检测装置 On-line inspection device



温度传感器 直接接到端盖上无需附加保护管
 Temperature transducer: Fixed in ferrule cap, No need additive protection pipe



用于现场实际温度显示的温度计
 Thermometer shows the actual local temperature



压力传感器 完全与端盖一体，由不锈钢隔膜保护
 Pressure transfer completely intergrated with ferrule cap, protected by stainless steel diaphragm.



压力表 装于端盖上，并由不锈钢隔膜保护
 Pressure gauge Fixed in the ferrule cap and protected by stainless diaphragm.



流量控制器 有效地测量液体和气体的流量
 Flux controller: Measure the flux of liquid and gas efficiently



带照明视镜
 Sight Glass